



中国认可
国际互认
检测
TESTING
CNAS L5016

第1页, 共8页

检验报告

Test Report



样品名称: 床头柜
Sample Description: _____

规格/型号: _____
Size/model: _____

商标: SOLAUD
Trademark: _____

委托单位: 黑科(深圳)席梦思智能科技有限公司
Applicant: _____

检验类别: 委托检验
Test Category: _____

报告日期: 2022年9月14日
Report date: _____

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验专用章



广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第2页, 共8页

委托单位/Applicant: 黑科(深圳)席梦思智能科技有限公司
委托单位地址/Address: 深圳市龙华区龙华街道三联社区清泉路110号3层B26展厅
样品名称/Sample Description: 床头柜
规格、型号/Size&Model: -----
生产单位/Manufacturer: -----
生产日期/Manufactured Date: -----
商 标/
Trademark: SOLAUD

以上信息及样品由客户提供及确认, 创科不承担证实客户提供信息的准确性、适当性和(或)完整性的责任。

样品数量/Sample Quantity: 1件
收样日期/Sampling Date: 2022年8月19日
受理单号/Case No. #: 220819401-2
检验类别/Test Category: 委托检验
检验日期/Tested Date: 2022年8月19日 至 2022年9月14日
样品特征和状态/
Sample Character and State: 样品外观质量无明显质量缺陷
检验依据/
Ref. Documents for the Test: QB/T 2530-2011 《木制柜》

检验结论 (Test Conclusion):

本次委托检验共检7项, 所检项目均符合标准要求。

批 准: 王彬
Approved by
批准日期: 2022年9月14日
Approved Date



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一(住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第3页, 共8页

序号	检验项目	要求	单位	项目分类	检测结果	判定
1	着地平稳性	≤2.0	mm	一般	0.2	合格
2	人造板件	外表应无干花、湿花	---	一般	---	---
		内表干花、湿花面积不超过板面的5%	---	一般	符合	合格
		外表应无鼓泡、龟裂、分层	---	基本	---	---
		应无局部缺损、崩边, 同一板面外表, 允许一处污斑, 面积在3mm ² ~30mm ² 内	---	一般*	---	---
		外表应无明显划痕、压痕、明显色差	---	基本*	---	---
3	五金配件及连接件	五金配件及连接件应无破损、锈蚀、毛刺、锐棱	---	基本	符合	合格
		表面应无起泡、泛黄、花斑、烧焦、露底、裂纹、划痕等缺陷	---	一般*	符合	合格
4	外观要求	固定连接的部位的结果应无永久松动, 连接件应无少件、漏钉、透钉 (预留孔、选择孔除外)	---	基本	符合	合格
		榫、塞角、零部件等结合处不应断裂	---	基本	符合	合格
		装饰性图案和线型应均匀清晰, 对称部位应对称	---	一般	符合	合格
		车木线型应均匀一致, 加工表面应无崩茬、刀痕、砂痕	---	一般	---	---
		各配件安装后平整、端正, 结合处无崩茬	---	一般	符合	合格
		外表光滑、倒棱、倒角、倒圆应均匀一致	---	一般	符合	合格
		人造板部件的非交接面应进行封边或涂饰处理	---	基本	---	---
		封边、包边不应出现脱胶、鼓泡或开裂现象	---	基本	符合	合格
		贴面应严密、平整, 不应有明显透胶	---	一般	---	---
		零部件的结合应严密、牢固, 无松动	---	一般	符合	合格
		不涂饰部位的粗糙度: 内部细光, 隐蔽处粗光	---	基本	---	---

注释: 表中“*”记号表示该单项中有2个以上 (含2个) 检验内容, 若有一个检验项目不符合要求时, 应按一个不合格计数。若某缺陷明显到足以影响产品质量时则作为基本项目判定。



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一 (住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第4页, 共8页

序号	检验项目	要求	单位	项目分类	检测结果	判定
4	外观要求	木工要求				
		雕刻的图案应均匀、清晰、层次分明, 对称部位应对称, 凹凸和大挖、过桥、棱角、圆弧处应无缺角, 铲底应平整, 各部位不应有锤印或毛刺	---	一般*	---	---
		车木的线形应一致, 凹凸台阶应匀称, 对称部位应对称, 车削线条应清晰, 加工表面不应有崩茬、刀痕、砂痕	---	一般*	---	---
5	安全性要求	活动部件间距离 $\leq 5\text{mm}$ 或 $\geq 25\text{mm}$	---	基本	符合	合格
		与人接触的零部位不应有毛刺、刃口、尖锐的棱角和端头	---	基本	符合	合格
		折叠产品应折叠灵活, 应无自行折叠现象	---	基本	---	---
		所有垂直运滑的部件, 在高于闭合点50mm任意位置, 不应自行移动	---	基本	---	---
		活动部件的轮子或脚轮应至少有两个具有锁定装置	---	基本	---	---
		所有可拉伸的部件, 应装配有效的限位装置, 当其包括装载物在内质量超过10kg时, 在拉手处施加200N力, 该部件不应被拉脱; 或者在其前端面贴一警示标签, 说明该部件易被拉脱	---	基本	符合	合格
6	甲醛释放量	按GB 18584-2001的规定, ≤ 1.5	mg/L	---	0.8	合格

注释: 表中“*”记号表示该单项中有2个以上(含2个)检验内容, 若有一个检验项目不符合要求时, 应按一个不合格计数。若某缺陷明显到足以影响产品质量时则作为基本项目判定。

以下空白, 转下页



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute, the entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一(住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第5页, 共8页

序号	检验项目			要求	单位	项目分类	检测结果	判定
7	力学性能	强度试验	顶和底板静载荷试验	试验条件: 加力750N, 加载10次 1. 零部件无断裂或豁裂; 2. 应为牢固的部件, 应无永久性松动; 3. 无影响使用功能的磨损或变形; 4. 五金连接件应无松动; 5. 活动部件开关应灵活; 6. 搁板挠度与长度的比值 $\leq 0.5\%$; 7. 主体结构 and 底架位移值应小于15mm。	---	基本	符合	合格

以下空白, 转下页



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute, the entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一 (住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第6页, 共8页



-----测试样品图片-----

力学性能试验水平选择表

试验水平	力学性能试验水平选择表
1	不经常使用, 小心使用、不可能出现误用的家具, 如古玩、小摆件等架类家具
2	轻载使用、误用可能性很小的家具, 如高级旅馆家具、高级办公家具等
3	中载使用、比较频繁使用、比较易于出现误用的家具, 如一般卧房家具、一般办公家具、旅馆家具等
4	重载使用、频繁使用、经常出现误用的家具, 如旅馆门厅家具、饭厅家具和某些公共场所家具
5	使用极频繁、经常超载使用和误用的家具, 如候车室、影剧院家具等
备注 Remarks	1、单位、检测结果及判定栏中“-----”代表“不适用”; 2、力学性能试验水平按试验水平2进行。



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute, The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)
中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一 (住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com



No:CKJC220819401-2

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第7页, 共8页

委托方地址	深圳市龙华区龙华街道三联社区清泉路110号3层B26展厅
试验地址 (如与本实验室地址不同)	-----
已检样品描述	-----
检验程序的说明	-----
意见与解释	-----
采用非标准方法的描述	-----
偏离补充另外情况	-----
检验结果判定原则	单件产品的被检项目全部合格, 则该件产品判定为合格, 否则为不合格品。
测试环境及状态	-----
分包项目及分包方	-----
备注	-----



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一 (住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

注 意 事 项

Remark

第8页, 共8页

1、报告无“检验专用章”或检验单位公章无效。

The Test Report is invalid without authorised person's signatures.

2、未经书面批准，不得复制（全文复制除外）检测报告。

Copy of the test report (except copy of the whole report) is not allowed without written approval.

3、报告无批准人签章无效。

The Test Report is invalid without the signature of the approver.

4、报告涂改无效。

The Test Report is invalid if scribbled or altered.

5、对检验报告若有异议，应于收到报告之日起十五日内提出，逾期不予受理。

If you dissatisfied or disagreed with the Test Conclusion, pleased file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted.

6、委托检验结果仅对来样负责。

The Organisation is responsible for the results of the received sample only.

7、未经检验机构同意，委托人不得擅自使用检验结果进行不当宣传。

Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result.

8、“…”项目未在CNAS认可范围。未加盖CMA资质章报告所出具的检测数据、结果，仅限于委托方内部质量控制，不具有社会证明作用。

The test items with “…” are not included in the CNAS qualification scope. The test data and results issued by the Test Report without CMA qualification seal are limited to the internal quality control of the client and do not have proof function to society.

